

Index

A

Absorption coefficient 60

Abrupt p-n junction 61

Amorphous 15

Amphoteric impurity 33

Avalanche breakdown 194

Avalanche photodiode 220

B

Base width modulation 285,295

Bipolar junction transistor 260

(see also real transistor)

 characteristics 280

 current components 314

 dc parameters 273

 Ebers Moll model 278

 Gumme-poon model 309

 energy band diagram 323

 equivalent circuit 417

 fabrication 114

 minority carrier distribution 171

 models of operation

 switching 200

 terminal currents

 turn-off time 302

 turn-on time 304

Body factor 383

Breakdown 266

 avalanche 194

 Zener 197

Built-in field 78

Built-in potential 107

C

Carrier concentration 29

 intrinsic 23

 extrinsic 30

Channel length modulation 350

Charge control equations 299

Charge coupled devices

Charge neutrality equation 48

CMOS 394

Compensation 50

Conductivity 50

Constant source diffusion 150

Continuity equation 75

Covalent bond 14

Critical electric field 195

Crystal growth 1

 Czochralski 115

 float zone 115

Crystal structure 15

 co-ordination number 16

 cubic lattice 16

 lattice constant 16

 packing efficiency 16

 primitive unit cell 16

 tetrahedral radius 16

Crystalline solids 14

Czochralski growth 115

D

Degenerate semiconductor

Depletion layer capacitance 362

DIAC 416

Diffusion 119

 current 22

 drive-in 122

 equation 5

 length 16

 pre-deposition 122

Diffusion capacitance 206

Diluteness condition 13

Diode 3

(see also p-n junction)

Diode equation 216

Doping 1

Drift velocity 47

E

Early effect 289

Early voltage 295

Ebers Moll model 278

Effective mass 25

Einstein relation 74

Electron-beam lithography 132

Emitter crowding 287

Energy bands 2

Energy band diagram 23

 BJT 260

 Insulator 1

- M**
 Metal 1,
 MOS capacitor 140
 Ohmic contact 133
 p-n junction 60
 schottky diode 149
 semiconductor diode 149
 Epitaxial growth 127
 chemical vapour deposition 127
 hetero epitaxy 127
 homo epitaxy 127
 molecular beam epitaxy 128
 organometallic vapour phase epitaxy
 128
 vapour phase epitaxy 128
 Equivalent circuit 207
 BJT 260
 JFET 338
 MOSFET 338
 p-n junction 149
 Etching 118
 Excess carriers 118
 life time 113
 Extrinsic generation 113
 Extrinsic semiconductor 30
- F**
 Fabrication 1
 BJT 260
 CMOS 135
 capacitor 129
 diode 3
 JFET 338
 MESFET 338
 MOSFET 338
 planar process 119
 resistor 246
 sequence 115
 Fermi-Dirac distribution function 12
 Fermions 13
 Field effect 59
 Field effect transistor 338
 (see also junction field effect transistor)
 Figure of merit 205
 BJT 260
 JFET 338
 MOSFET 338
 Float zone process 115
 Free electron 29
 Free particle 6
- G**
 Graded p-n junction 150
 Grading constant 149
 Gradual channel approximation 346
 Grain boundary 15
 Gummel number 310
 Gummel plot 283
 Gummel Poon model 337
- H**
 Hall effect 56
 Haynes Shockley experiment 81
 HBT 425
 Heisenberg's uncertainty principle 3
 Hetero junction 424
 High field effects 350
 High level injection 63
 Hole current 27
- I**
 Ideality factor 181
 IGBT 426
 characteristics 416
 Indirect band gap 24
 Injection efficiency 264
 Insulator 16
 Integrated circuit 1
 Intrinsic generation 28
 Intrinsic level 39
 Intrinsic semiconductor 30
 Ion implantation 119
 Ionic bond 14
 Isolation 1
 dielectric 129
 local oxidation of silicon (LOGOS) 130
 p-n junction 129
 silicon on insulator 129
 trench 130
 Junction Capacitance 192
 Junction field effect transistor 260
 (see also real JFET)
 channel conductance 137
 characteristics 174
 cut off voltage 344
 equivalent circuit 351
 fabrication 1
 figure of merit 205
 gradual channel approximation, 380
 pinch-off voltage 396
 principle of operation 3
 real JFET 350
 saturation voltage 342

threshold voltage 344
K
 Kirk effect 283
L
 Laser diode 428

- population inversion, 429
- structure 430

 Lattice scattering 127
 Life time 113

- minority carriers 31

 Light emitting diode 220
 Linear rate coefficient 120
 Linearly graded junction 150
 Lithography 119

- electron beam 115
- photo 131
- X-ray 118

 COCOS 128
 Low level injection 63
M
 Majority carriers 31
 Masking 121
 Mass action law 41
 Mean free time 41
 MESFET 338

- depletion 340
- enhancement 353
- fabrication, 338
- mobility models 358
- pinch off voltage 354
- threshold voltage 344

 MOSFET 338

- body factor 383
- bulk charge model 383
- channel length modulation 338
- characteristics 341
- control of threshold voltage 344
- effective mobility 341
- electrostatic discharge 387
- equivalent circuit 351
- fabrication 338
- figure of merit 351
- hot electron effect 386
- handling 387
- inverter 392
- principle of operation 340
- real MOSFET 338

 substrate bias 339
 square law model 339
 velocity saturation 358
 MOS systems 359

- real 370
- oxide charges 338

 Metal semiconductor contact 338

- characteristics 279
- rectifying 189
- ohmic 171

 Metal semiconductor field effect transistor 338

- (see also MESFET)

 Metallic bond 14
 Metallization 119
 Miller index 19
 Minority carrier extraction 194
 Minority carrier lifetime 113
 Minority carriers 65
 Mobility 31
 Molecular bond 15
 MOS capacitor 359

- accumulation 361
- band bending 383
- charge density 389
- characteristics 393
- depletion 341
- flat band voltage 370
- inversion 372
- oxide and interface charges 338
- strong inversion 364
- threshold voltage 368

 MOSFET inverters 338
N
 Non-degenerate semiconductors 1
O
 Ohmic contacts 133
 Oxidation 136
P
 P⁺n diode 188
 Parabolic rate coefficient 120
 Phonons 13
 Photoconductivity 61
 Photo detector 219
 Photo diode 253

- avalanche 194

 Photons 13

Photolithography 131
 Photo voltaic effect 216
 Planar process 119
 p-n junction 60
 (see also real diodes)

- abrupt 69
- biasing 129
- break down 194
- built-in potential 151
- characteristics 174
- charge density 192
- depletion layer capacitance, 192
- electric field 125
- energy band diagram 153
- equation 120
- equivalent circuit 207
- fabrication 114
- graded 150
- junction capacitance 129
- potential 132
- punch through 179
- storage capacitance 186
- under thermal equilibrium 116

 Poly silicon gate 373
 Population inversion 429
 Potential wall 8
 Potential well 6
 Pre-deposition 122
 Projected range 126
 Punch through 198
 Punched through diode 198
Q
 Quantum mechanics 2

- postulates 4

 Quasi-Fermi levels 13
R
 Real diode 179

- characteristics 179
- generation recombination current 25
 - high level injection 171

 Real JFET 379

- breakdown 379
- channel length modulation 383
- high field effects 350
- temperature effects 350

 Real transistor 283

- avalanche multiplication 283
- early effect 285

 emitter crowding 287
 Kirk effect 289

- punch through 385

 Recombination mechanisms 29
 Auger 68

- direct band to band 24
- indirect 24
- trap-aided Auger 69

 Richardson-Dushman equation 212
 Scattering mechanisms 113

- carrier carrier 113
- lattice 113
- neutral impurity 113

 Schottky diode 213
 Schrodinger equation 5
 Segregation constant 116
 Semiconductor 116

- compound 1
- degenerate 2
- direct band gap 24
- elemental 1
- excess carriers 31
- extrinsic 30
- indirect band gap 24
- intrinsic 23

 Sheet resistance 140
 Silicon controlled rectifier (SCR) 417

- characteristics 416
- forward blocking 418
- forward break over voltage 420
- holding current 420
- reverse blocking 420
- triggering 420
- turning-off 421

 Solar cell 128
 Solid solubility 116
 Sputtering 134
 Statistical mechanics 12

- Bose-Einstein 12
- Fermi-Dirac 12
- Maxwell-Boltzmann 12

 Storage capacitance 206
 Storage delay time 204
 Stored charge 200
T
 Thermal oxidation 119
 Thermal relaxation time 52
 Transistor
 (see also bipolar junction transistor)

and junction field effect transistor)

bipolar junction 260

field effect 338

Transistor characteristics 290

common base 266

common emitter 266

Transport factor 264

TRIAC 422

Tunnel diode 223

Tunneling 112

Twin tub 137

U

Uni-junction transistor 433

V

Varactor diode 221

W

Wafer 115

Work function 208

X

X-ray lithography 132

Z

Zener diode 211

Zone refining 146