

CET/353/2025-P3

06-03-

2025

QUOTATION NOTICE

Quotation Number	37/P3/PE/CET/25
Due date and time for receipt of quotations	19/03/2025, 3 PM
Date and time for opening of quotations	20/03/2025, 11 AM
Date up to which the rates are to remain firm for acceptance	20/09/2025
Designation and address of officer to whom the quotation is to be addressed	The Principal, College of Engineering Trivandrum, Thiruvananthapuram-16. GSTIN:32AAAGC0358L1ZP
Superscription : Maintenance of the Multi Gym and other Fitness Equipment in Physical Education Department of this institution.	

Sealed quotations are invited for the supply of the materials specified in the list attached given below/overleaf. The rates quoted should be for the delivery of the articles at the places mentioned below the schedule. The necessary superscription, due date for the receipt of quotations, the date up to which the rates will have to remain firm for acceptance and the name and address of officer to whom the quotation is to be sent are noted above. Any quotation received after the time fixed on the due date is liable to be rejected. The maximum period required for delivery of the articles should also be mentioned. Quotations not stipulating period of firmness and with price variation clause and/or 'subject to prior sale' condition are liable to be rejected. **Quotations without mentioning the readiness to complete the delivery of items within the specified time**, not stipulating period of firmness and with price variation clause and/or 'subject to prior sale' condition are liable to be rejected.

The acceptance of the quotations will be subject to the following conditions.

1. Withdrawal from the quotation after it is accepted or failure to supply within a specified time or according to specifications will entail cancellation of the order and purchases being made at the offerers expenses from elsewhere, any loss incurred thereby being payable by the defaulting party. In such an event the Government reserves also the right to remove the defaulter's name from the list of Government suppliers permanently or for a specified number of years.

2. Samples, duly listed, should be forwarded if called for under separate cover and the unapproved samples got back as early as possible by the offerers at their own expenses and the Government will in no case be liable for any expenses on account of the value of the samples or their transport charges, etc. In case, the samples are sent by railway, the railway receipt should be sent separately, and not along with the quotation since the quotation will be opened only on the appointed day and demurrage will have to be paid if the railway parcels are not cleared in time. Quotations for the supply of materials are liable to be rejected unless samples, if called

for of the materials tendered for are forwarded. The approved samples may or may not be returned at the discretion of the undersigned. Samples sent by V.P.Post or "freight to pay" will not be accepted.

3.No representation for enhancement of price once accepted will be considered during the currency of the contract.

4.Any attempt on the part of tenderers or their agents to influence the Officers concerned in their favour by personal canvassing will disqualify the tenderers.

5.If any license or permit is required, tenderers must specify in their quotation and also state the authority to whom application to be made.

6.The quotation may be for the entire or part supplies. But the tenderers should be prepared to carry out such portion of the supplies included in their quotation as may be allotted to them.

7. In cases where a successful tenderer, after having made partial supplies fails to fulfill the contracts in full, all or any of the materials not supplied may, at the discretion of the Purchasing Officer be purchased by means of another tender/quotation or by negotiation or from the next higher tenderer who had offered to supply already and the loss, if any, caused to the Government shall thereby together with such sums as may be fixed by the Government towards damages be recovered from the defaulting tenderer

8.The unit price,all other charges such as delivery ,transporting ,loading and unloading charges, and GST must be shown separately in the quotation.

9.a) Ordinarily payments will be made only after the supplies are actually verified and taken to stock but in exceptional cases, payments against satisfactory shipping documents including certificates of Insurance will be made up to 90 per cent of the value of the materials at the discretion of Government. Bank charges incurred in connection with payment against documents through bank will be to the account of the contractor. The firms will produce stamped pre-receipted invoices in all cases where payments(advance/final) for release of railway receipts/shipping documents are made through Banks. In exceptional cases where the stamped receipts of the firms are not received for the payments (in advance) the unstamped receipt of the Bank (i.e. counterfoils or pay-in-slips issued by the Bank alone may be accepted as a valid proof for the payment made. b)The tenderers shall quote also the percentage of rebate (discount) offered by them in case the payment is made promptly within fifteen days/within one month of taking delivery of stores.

10.Any sum of money due and payable to the successful tenderer or contractor from Government shall be adjusted against any sum of money due to Government from him under any other contracts.

11.Payment will be made only after Completion of work.

12.Special conditions, if any, printed on the quotation sheets of the tenderer or attached with the tender will not be applicable to the contract unless they are expressly accepted in writing by the purchases.

13.GST number must be mentioned in the quotation. The firm under composition scheme must mention the words "Composition taxable person " in their quotation and should submit proof for that.

Proposal for Repair and maintenance of Multi Gym and other fitness equipments

No	Repair work for	Description of Work
1	PEC Fly station of the 11 station Multi Gym	Replacement of Upholstery x 3 Seat Replacement of Hand Grip x 2 Replacement of Gym Cable x 5m Replacement of Pulley x 3
2	LEG PRESS station of the 11 station Multi Gym	Replacement of Gym Cable x 4m Replacement of Hand Grip x 2 Replacement of Pulley x 6 Replacement of Buffing x 2 Pipes
3	Biceps Curl Station of the 11 station Multi Gym	Replacement of Pulley x 2 Replacement of Hand Grip x 2 Replacement of Seat Adjustable Lock x 1
4	Seated Row station of the 11 station Multi Gym	Replacement of Cable x 3m Replacement of Pulley x 2 Replacement of Buffing x 1 Square Tube
5	TWISTER station of the 11 station Multi Gym	Replacement of Hand Grip x 2
6	LAT PULL DOWN station of the 11 station Multi Gym	Replacement of Cable x 4m Replacement of Pulley x 4 Replacement of Hand Grip x 2 Replacement of Round Sponge x 2
7	Knee raise station of the 11 station Multi Gym	Replacement of Upholstery x 3 Seat
8	HYPER EXTENSION station of the 11 station Multi Gym	Replacement of Round Sponge x 2 Replacement of Hand Grip x 2
9	FOR ARM curl station of the 11 station Multi Gym	Replacement of Cable x 4m Replacement of Hand Grip x 2
10	Squat station of the 11 station Multi Gym	Replacement of Round Sponge x 2

11	Leg press station of the 8 station Multi Gym	Replacement of Cable x 5m Replacement of Pulley x 7
12	Triceps station of the 8 station Multi Gym	Replacement of Pulley x 3 Replacement of Cable x 2m
13	BICEPS curl station of of the 8 station Multi Gym	Replacement of Gym Cable x 4m Replacement of Pulley x 2 Replacement of Pulley Clamp x 1
14	PEC DEC station of of the 8 station Multi Gym	Replacement of Pulley x 3 Replacement of Cable x 4m
15	VERTICAL KNEE RAISE station of the 8 station Multi Gym	Replacement of Upholstery Work x 2 Seat
16	LAT PULLDOWN station of of the 8 station Multi Gym	Replacement of Round Sponge x 2 Replacement of Upholstery x 1 Seat Replacement of Hand Grip x 2
17	LEG CURL station of of the 8 station Multi Gym	Replacement of Cable x 6m Replacement of Pulley x 2
18	PEC FLY station of of the 8 station Multi Gym	Replacement of Cable x 4m Replacement of Pulley x 7 Replacement of Pulley Clamp x 4
19	CABLE CROSSOVER multi station	Replacement of Pulley (Lathe Work) x 14 with bearing Replacement of Buffing x 2 Square tube Replacement of Buffing x 4 Round Pipe Replacement of Adjustable Lock x 2 Replacement of Cable end hook (Allen Key type) x 4 dismantling cleaning & Re installation
20	AC TREADMILL-PRO BODYLINE FITNESS	Inverter repairing / replacing & Overall service
21	AC TREADMILL-EXCEL-ATLAS	Inverter repairing/ replacing & Overall service

PRINCIPAL