CET/1751/2025-P4 I/485453/2025

College of Engineering Trivandrum

Thiruvananthapuram - 16

No.CET/1751/2025-P4

28-11-2025

QUOTATION NOTICE

Quotation Number	54/P4/CAM/25/CET	
Due date and time for receipt of quotations	12/12/2025, 11 AM	
Date and time for opening of quotations	12/12/2025, 11.30 PM	
Date up to which the rates are to remain firm for acceptance	12/06/2026	
	The Principal, College of Engineering Trivandrum, Thiruvananthapuram-16. GSTIN:32AAAGC0358L1ZP	
Superscription: Purchase of Webcams in Central Computing Facility.		

Sealed quotations are invited for the Purchase of Webcams in Central Computing Facility specified in the list attached given below/overleaf. The rates quoted should be for the delivery of the articles at the places mentioned below the schedule. The necessary superscription, due date for the receipt of quotations, the date up to which the rates will have to remain firm for acceptance and the name and address of officer to whom the quotation is to be sent are noted above. Any quotation received after the time fixed on the due date is liable to be rejected. The maximum period required for delivery of the articles should also be mentioned. Quotations not stipulating period of firmness and with price variation clause and/or 'subject to prior sale' condition are liable to be rejected.

The acceptance of the quotations will be subject to the following conditions.

- 1. Withdrawal from the quotation after it is accepted or failure to supply within a specified time or according to specifications will entail cancellation of the order and purchases being made at the offers expenses from elsewhere, any loss incurred thereby being payable by the defaulting party. In such an event the Government reserves also the right to remove the defaulter's name from the list of Government suppliers permanently or for a specified number of years.
- 2. Samples, duly listed, should be forwarded if called for under separate cover and the unapproved samples got back as early as possible by the offers at their own expenses and the Government will in no case be liable for any expenses on account of the value of the samples or their transport charges, etc. In case, the samples are sent by railway, the railway receipt should be sent separately, and not along with the quotation since the quotation will be opened only on the appointed day and demurrage will have to be paid if the railway parcels are not cleared in time. Quotations for the supply of materials are liable to be rejected unless samples, if called for of the materials tendered for are forwarded. The approved samples may or

CET/1751/2025-P4 V/485453/2025

- may not be returned at the discretion of the undersigned. Samples sent by V.P. Post or "freight to pay" will not be accepted.
- 3. No representation for enhancement of price once accepted will be considered during the currency of the contract.
- 4. Any attempt on the part of tenderers or their agents to influence the Officers concerned in their favour by personal canvassing will disqualify the tenderers.
- 5. If any license or permit is required, tenderers must specify in their quotation and also state the authority to whom application to be made.
- 6. In cases where a successful tenderer, after having made partial supplies fails to fulfill the contracts in full, all or any of the materials not supplied may, at the discretion of the Purchasing Officer be purchased by means of another tender/quotation or by negotiation or from the next higher tenderer who had offered to supply already and the loss, if any, caused to the Government shall thereby together with such sums as may be fixed by the Government towards damages be recovered from the defaulting tenderer
- 7. a) Half yearly payments will be made only after one or two successful service are actually verified. Bank charges incurred in connection with payment against documents through bank will be to the account of the contractor. The firms will produce stamped pre-receipted invoices in all cases where payments for release of railway receipts/shipping documents are made through Banks. In exceptional cases where the stamped receipts of the firms are not received for the payments (in advance) the unstamped receipt of the Bank (i.e. counterfoils or pay-in-slips issued by the Bank alone may be accepted as a valid poor for the payment made. b)The tenderers shall quote also the percentage of rebate (discount) offered by them in case the payment is made promptly within fifteen days/within one month of taking delivery of stores.
- 8. Any sum of money due and payable to the successful tenderer or contractor from Government shall be adjusted against any sum of money due to Government from him under any other contracts.
- 9. Special conditions, if any, printed on the quotation sheets of the tenderer or attached with the tender will not be applicable to the contract unless they are expressly accepted in writing by the purchases.
- 10. GST number must be mentioned in the quotation. The firm under composition scheme must mention the words "Composition taxable person" in their quotation and should submit proof for that.
- 11. The service should be at **Central Computing Facility** of this institution.
- 12. The unit price, all other charges such as delivery, transporting, loading and unloading charges, and GST must be shown separately in the quotation

CET/1751/2025-P4 I/485453/2025

List of Items

1.

Sl No	Item	Quantity
	Webcam Parameters - 720 Hi-Res or higher	
	Interface - USB 2.0	
	Lens - 720P 3.6 mm	
	Effective Pixels - 720 Mega Pixels / 720p	
	Max Resolution Support - HP 1280*720 at 30 fps	
1	Microphone - Built-in USB Mic	60
	Focus Type - Manual Focus	
	Power Consumption - Max 1 W	
	Image Sensor - 1/4" CMOS Sensor	
	Warranty 1 Year	
	Supported Operating Systems: Windows 8, 8.1, 10, 11 and all Linux distributions	

Terms & Conditions

1. Prices: For the destination, including loading, unloading and transportation.

2. GST: Inclusive

3. Delivery: Within 8 weeks

4. Validity: Minimum 3 months from the quotation opening date.

5. Warranty: 1 Year

6. Payment: 100% against delivery and installation

CET/1751/2025-P4 I/485453/2025